

Ankyglossia Reference List

A double-blind, randomized, controlled trial of tongue-tie division and its immediate effect on breastfeeding (1)

Berry, J., Griffiths, M., & Westcott, C. (2012). A double-blind, randomized, controlled trial of tongue-tie division and its immediate effect on breastfeeding. [Randomized Controlled Trial]. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 7(3), 189-193. doi: 10.1089/bfm.2011.0030

A family with hereditary ankyloglossia complicated by heterochromia irides and a congenital clasped thumb (1)

Sato, T., Iida, M., & Yamaguchi, Y. (1983). A family with hereditary ankyloglossia complicated by heterochromia irides and a congenital clasped thumb. [Case Reports]. *International journal of oral surgery*, 12(5), 359-362.

A functional haplotype variant in the TBX22 promoter is associated with cleft palate and ankyloglossia (1)

Pauws, E., Moore, G. E., & Stanier, P. (2009). A functional haplotype variant in the TBX22 promoter is associated with cleft palate and ankyloglossia. [Letter Research Support, Non-U.S. Gov't]. *Journal of medical genetics*, 46(8), 555-561. doi: 10.1136/jmg.2009.066902

A grooved table-spoon for tongue-tie release and hernial neck transfixion (1)

Lau, J. T., & Ong, G. B. (1983). A grooved table-spoon for tongue-tie release and hernial neck transfixion. *The Australian and New Zealand journal of surgery*, 53(1), 61-62.

A lingual mucogingival problem associated with ankyloglossia: a case report (1)

Ewart, N. P. (1990). A lingual mucogingival problem associated with ankyloglossia: a case report. [Case Reports]. *The New Zealand dental journal*, 86(383), 16-17.

A new syndrome of ankyloglossia and ulnar ray defects in a Newfoundland kindred (1)

Li, C. (2009). A new syndrome of ankyloglossia and ulnar ray defects in a Newfoundland kindred. [Case Reports]. *Clinical dysmorphology*, 18(3), 158-159. doi: 10.1097/MCD.0b013e328324440d

A pathological consideration of ankyloglossia and lingual myoplasty] (1)

Lee, S. K., Kim, Y. S., & Lim, C. Y. (1989). [A pathological consideration of ankyloglossia and lingual myoplasty]. *Taehan Ch'ikkwa Uisa Hyophoe chi*, 27(3), 287-308.

A quick snip - A study of the impact of outpatient tongue tie release on neonatal growth and breastfeeding (1)

Miranda, B. H., & Milroy, C. J. (2010). A quick snip - A study of the impact of outpatient tongue tie release on neonatal growth and breastfeeding. [Case Reports]. *Journal of plastic, reconstructive & aesthetic surgery : JPRAS*, 63(9), e683-685. doi: 10.1016/j.bjps.2010.04.003

Accreditation of midwife lactation consultants to perform infant tongue-tie release (1)

Amir, L. H., James, J. P., Kelso, G., & Moorhead, A. M. (2011). Accreditation of midwife lactation consultants to perform infant tongue-tie release. *Int J Nurs Pract*, 17(6), 541-547. doi: 10.1111/j.1440-172X.2011.01969.x

All tied up. Tongue tie and its implications for breastfeeding (1)

Fitz-Desorger, R. (2003). All tied up. Tongue tie and its implications for breastfeeding. [Review]. *The practising midwife*, 6(1), 20-22.

An experimental study of rhotacism which was caused by a tongue-tie--sonographic analysis] (1)

Miyano, K. (1961). [An experimental study of rhotacism which was caused by a tongue-tie--sonographic analysis]. *Jibi inkoka Otolaryngology*, 33, 499-501.

An unusual case of Ankyloglossia Superior (1)

Kalu, P. U., & Moss, A. L. (2004). An unusual case of Ankyloglossia Superior. [Case Reports Review]. *British journal of plastic surgery*, 57(6), 579-581. doi: 10.1016/j.bjps.2003.12.008

Ankyloglossia (a case report) (1)

Lomcali, G. (1987). Ankyloglossia (a case report). [Case Reports]. *Dent, contemporary dentistry*, 2(3), 124-127.

Ankyloglossia (tongue-tie) (1)

Ankyloglossia (tongue-tie). (1990). *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 101-155.

Ankyloglossia (tongue-tie): a diagnostic and treatment quandary (1)

Kotlow, L. A. (1999). Ankyloglossia (tongue-tie): a diagnostic and treatment quandary. *Quintessence international*, 30(4), 259-262.

Ankyloglossia and breastfeeding (1)

Ankyloglossia and breastfeeding. (2002). *Paediatrics & child health*, 7(4), 269-274.

Ankyloglossia and effects on breast-feeding, speech problems and mechanical/social issues in children (1)

Karabulut, R., Sonmez, K., Turkyilmaz, Z., Demirogullari, B., Ozen, I. O., Bagbanci, B., . . . Basaklar, A. C. (2008). Ankyloglossia and effects on breast-feeding, speech problems and mechanical/social issues in children. [Comparative Study]. *B-ENT*, 4(2), 81-85.

Ankyloglossia and its effect on the development of anomalies in the position of the teeth and jaws. Diagnosis and therapy] (1)

Dahan, J. (1969). [Ankyloglossia and its effect on the development of anomalies in the position of the teeth and jaws. Diagnosis and therapy]. *Revue francaise d'odontostomatologie*, 16(2), 213-222.

Ankyloglossia and its influence on maxillary and mandibular development. (A seven year follow-up case report) (1)

Defabianis, P. (2000). Ankyloglossia and its influence on maxillary and mandibular development. (A seven year follow-up case report). [Case Reports]. *The Functional orthodontist*, 17(4), 25-33.

Ankyloglossia clipping and breast feeding (1)

Hingley, G. (1990). Ankyloglossia clipping and breast feeding. [Case Reports Letter]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 103.

Ankyloglossia due to shortness of the lingual frenum] (1)

Biourge, A. (1971). [Ankyloglossia due to shortness of the lingual frenum]. *L' Orthodontie française*, 42, 183-185.

Ankyloglossia in an Anatolian Shepherd dog] (1)

Grundmann, S., & Hofmann, A. (2006). [Ankyloglossia in an Anatolian Shepherd dog]. [Case Reports]. *Schweizer Archiv für Tierheilkunde*, 148(8), 417-420.

Ankyloglossia in breastfeeding infants: the effect of frenotomy on maternal nipple pain and latch (1)

Srinivasan, A., Dobrich, C., Mitnick, H., & Feldman, P. (2006). Ankyloglossia in breastfeeding infants: the effect of frenotomy on maternal nipple pain and latch. *Breastfeeding medicine : the official journal of the Academy of Breastfeeding Medicine*, 1(4), 216-224. doi: 10.1089/bfm.2006.1.216

Ankyloglossia in dogs: a morphological and immunohistochemical study (1)

Karahan, S., & Kul, B. C. (2009). Ankyloglossia in dogs: a morphological and immunohistochemical study. [Research Support, Non-U.S. Gov't]. *Anatomia, histologia, embryologia*, 38(2), 118-121. doi: 10.1111/j.1439-0264.2008.00907.x

Ankyloglossia in pedodontics: diagnostic outline and therapeutic intervention] (1)

Beltrame, A., & Favero, G. A. (1989). [Ankyloglossia in pedodontics: diagnostic outline and therapeutic intervention]. [Review]. *Giornale di stomatologia e di ortognatodonzia*, 8(3), 9-13.

Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management (1)

Kupietzky, A., & Botzer, E. (2005). Ankyloglossia in the infant and young child: clinical suggestions for diagnosis and management. *Pediatric dentistry*, 27(1), 40-46.

Ankyloglossia in twin brothers] (1)

Esquivel Cooper, J. L. (1969). [Ankyloglossia in twin brothers]. *Revista española de estomatología*, 17(3), 227-230.

Ankyloglossia intervention in outpatients is safe: our experience(1)

Hansen, R., MacKinlay, G. A., & Manson, W. G. (2006). Ankyloglossia intervention in outpatients is safe: our experience. [Comment Letter]. *Archives of disease in childhood*, 91(6), 541-542; author reply 542. doi: 10.1136/adc.2005.093245

Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices (1)

Merdad, H., & Mascarenhas, A. K. (2010). Ankyloglossia may cause breastfeeding, tongue mobility, and speech difficulties, with inconclusive results on treatment choices. [Comment]. *The journal of evidence-based dental practice*, 10(3), 152-153. doi: 10.1016/j.jebdp.2010.05.009

Ankyloglossia superior (1)

Kothari, P. R., & Gupta, A. (2005). Ankyloglossia superior. [Case Reports Letter]. *Indian pediatrics*, 42(12), 1249.

Ankyloglossia superior congenita] (1)

Stampar-Plasaj, B., Erak, P., Rittermann, V., & Valjak, B. (1969). [Ankyloglossia superior congenita]. *Radovi Medicinskog faculteta u Zagrebu*, 17(3), 217-225.

Ankyloglossia superior syndrome: personal case report] (1)

Van Daele, C., Leroy, J. G., De Simpel, H., Poffijn, A., & Vanclooster, R. (1988). [Ankyloglossia superior syndrome: personal case report]. [Case Reports]. *Acta stomatologica Belgica*, 85(3), 217-224.

Ankyloglossia superior: report of a case (1)

Minami, K., Sugahara, T., Mori, Y., & Mishima, K. (1995). Ankyloglossia superior: report of a case. [Case Reports]. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 53(5), 588-589.

Ankyloglossia with deviation of the epiglottis and larynx (1)

Mukai, S., Mukai, C., & Asaoka, K. (1991). Ankyloglossia with deviation of the epiglottis and larynx. [Review]. *The Annals of otology, rhinology & laryngology. Supplement*, 153, 3-20.

Ankyloglossia with psychological implications (1)

Ketty, N., & Sciullo, P. A. (1974). Ankyloglossia with psychological implications. [Case Reports]. *ASDC journal of dentistry for children*, 41(1), 43-46.

Ankyloglossia, exclusive breastfeeding, and failure to thrive (1)

Forlenza, G. P., Paradise Black, N. M., McNamara, E. G., & Sullivan, S. E. (2010). Ankyloglossia, exclusive breastfeeding, and failure to thrive. [Case Reports]. *Pediatrics*, 125(6), e1500-1504. doi: 10.1542/peds.2009-2101

Ankyloglossia--one lactation consultant's personal experience (1)

Huggins, K. (1990). Ankyloglossia--one lactation consultant's personal experience. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 123-124.

Ankyloglossia--to snip or not to snip: is that the question? (1)

Conway, A. (1990). Ankyloglossia--to snip or not to snip: is that the question? [Editorial]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 101-102.

Ankyloglossia. Surgical therapy and results] (1)

Douniau, D. (1969). [Ankyloglossia. Surgical therapy and results]. *La Revue stomato-odontologique du nord de la France*, 24(93), 13-18.

Ankyloglossia: a case study in which clipping was not necessary (1)

Ward, N. (1990). Ankyloglossia: a case study in which clipping was not necessary. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 126-127.

Ankyloglossia: a cause of breastfeeding problems? (1)

Fleiss, P. M., Burger, M., Ramkumar, H., & Carrington, P. (1990). Ankyloglossia: a cause of breastfeeding problems? [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 128-129.

Ankyloglossia: a morphofunctional investigation in children (1)

Ruffoli, R., Giambelluca, M. A., Scavuzzo, M. C., Bonfigli, D., Cristofani, R., Gabriele, M., . . . Giannessi, F. (2005). Ankyloglossia: a morphofunctional investigation in children. *Oral diseases*, 11(3), 170-174. doi: 10.1111/j.1601-0825.2005.01108.x

Ankyloglossia: a review of the literature (1)

Warden, P. J. (1991). Ankyloglossia: a review of the literature. [Review]. *General dentistry*, 39(4), 252-253.

Ankyloglossia: assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad (1)

Ballard, J. L., Auer, C. E., & Khoury, J. C. (2002). Ankyloglossia: assessment, incidence, and effect of frenuloplasty on the breastfeeding dyad. [Comparative Study Research Support, Non-U.S. Gov't]. *Pediatrics*, 110(5), e63.

Ankyloglossia: controversies in management (1)

Messner, A. H., & Lalakea, M. L. (2000). Ankyloglossia: controversies in management. [Comparative Study]. *International journal of pediatric otorhinolaryngology*, 54(2-3), 123-131.

Ankyloglossia: does it matter? (1)

Lalakea, M. L., & Messner, A. H. (2003). Ankyloglossia: does it matter? [Review]. *Pediatric clinics of North America*, 50(2), 381-397.

Ankyloglossia: etiopathogenetic aspects and clinical evaluation] (1)

Goracci, G., Cantatore, G., Polzinelli, C., & Negri, P. L. (1984). [Ankyloglossia: etiopathogenetic aspects and clinical evaluation]. [Case Reports]. *Rivista italiana di stomatologia*, 53(9), 615-619.

Ankyloglossia: facts and myths in diagnosis and treatment (1)

Suter, V. G., & Bornstein, M. M. (2009). Ankyloglossia: facts and myths in diagnosis and treatment. [Review]. *Journal of periodontology*, 80(8), 1204-1219. doi: 10.1902/jop.2009.090086

Ankyloglossia: incidence and associated feeding difficulties (1)

Messner, A. H., Lalakea, M. L., Aby, J., Macmahon, J., & Bair, E. (2000). Ankyloglossia: incidence and associated feeding difficulties. *Archives of otolaryngology--head & neck surgery*, 126(1), 36-39.

Ankyloglossia: the adolescent and adult perspective (1)

Lalakea, M. L., & Messner, A. H. (2003). Ankyloglossia: the adolescent and adult perspective. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 128(5), 746-752.

Ankyloglossia] (1)

Reychler, A., & Desmedt, P. (1968). [Ankyloglossia]. *Revue de stomatologie et de chirurgie maxillo-faciale*, 69(1), 49-54.

Are the features of ankyloglossia limited to the lingual fraenum? (1)

Fanibunda, K., & Adams, A. (1998). Are the features of ankyloglossia limited to the lingual fraenum? [Case Reports]. *Dental update*, 25(7), 296-297.

Assessment of lingual function when ankyloglossia (tongue-tie) is suspected (1)

Williams, W. N., & Waldron, C. M. (1985). Assessment of lingual function when ankyloglossia (tongue-tie) is suspected. *Journal of the American Dental Association*, 110(3), 353-356.

Atypical tongue-tie due to congenital tongue-palate fusion (1)

Din, S. U. (2003). Atypical tongue-tie due to congenital tongue-palate fusion. [Case Reports]. *Journal of the College of Physicians and Surgeons--Pakistan : JCPSP*, 13(8), 459-460. doi: 08.2003 JCPSP.459460

Audit of tongue-tie division in neonates with breastfeeding difficulties: how we do it (1)

Argiris, K., Vasani, S., Wong, G., Stimpson, P., Gunning, E., & Caulfield, H. (2011). Audit of tongue-tie division in neonates with breastfeeding difficulties: how we do it. [Comparative Study]. *Clin Otolaryngol*, 36(3), 256-260. doi: 10.1111/j.1749-4486.2011.02278.x

Autosomal-dominant ankyloglossia and tooth number anomalies (1)

Acevedo, A. C., da Fonseca, J. A., Grinham, J., Doudney, K., Gomes, R. R., de Paula, L. M., & Stanier, P. (2010). Autosomal-dominant ankyloglossia and tooth number anomalies. [Research Support, Non-U.S. Gov't]. *Journal of dental research*, 89(2), 128-132. doi: 10.1177/0022034509356401

Bipolar scissor division of tongue-tie under tubeless anesthesia (1)

Saleh, H. A., Cain, A. J., & Mountain, R. E. (1999). Bipolar scissor division of tongue-tie under tubeless anesthesia. *The Laryngoscope*, 109(5), 838-839.

Breastfeeding and tongue-tie (1)

Genna, C. W., & Coryllos, E. V. (2009). Breastfeeding and tongue-tie. [Patient Education Handout]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 25(1), 111-112. doi: 10.1177/08903344090250011501

c. 595-596 insC of FOXC2 underlies lymphedema, distichiasis, ptosis, ankyloglossia, and Robin sequence in a Thai patient (1)

Tanpaiboon, P., Kantaputra, P., Wejathikul, K., & Piyamongkol, W. (2010). c. 595-596 insC of FOXC2 underlies lymphedema, distichiasis, ptosis, ankyloglossia, and Robin sequence in a Thai patient. [Case Reports]. *American journal of medical genetics. Part A*, 152A(3), 737-740. doi: 10.1002/ajmg.a.33273

Case of the month. Tongue-tie (1)

Bhatt, A. P. (1985). Case of the month. Tongue-tie. [Case Reports]. *Journal of the Indian Dental Association*, 57(9), inside front cover.

Cleft lip with cleft palate, ankyloglossia, and hypodontia are associated with TBX22 mutations (1)

Kantaputra, P. N., Paramee, M., Kaewkhampa, A., Hoshino, A., Lees, M., McEntagart, M., . . . Stanier, P. (2011). Cleft lip with cleft palate, ankyloglossia, and hypodontia are associated with TBX22 mutations. [Comparative Study Research Support, Non-U.S. Gov't]. *Journal of dental research*, 90(4), 450-455. doi: 10.1177/0022034510391052

Clinical and statistical studies on ankyloglossia from the Department of Oral and Maxillofacial Surgery, Okayama University Hospital, during the past 10 years] (1)

Nabeyama, H., T, I. M., Nakayama, Y., Ikegami, N., & Nishijima, K. (1985). [Clinical and statistical studies on ankyloglossia from the Department of Oral and Maxillofacial Surgery, Okayama University Hospital, during the past 10 years]. *Shoni shikagaku zasshi. The Japanese journal of pedodontics*, 23(3), 740-744.

Clinical approach of ankyloglossia in babies: report of two cases (1)

Cunha, R. F., Silva, J. Z., & Faria, M. D. (2008). Clinical approach of ankyloglossia in babies: report of two cases. [Case Reports Research Support, Non-U.S. Gov't]. *The Journal of clinical pediatric dentistry*, 32(4), 277-281.

Clinical inquiries. When should you treat tongue-tie in a newborn? (1)

Cho, A., Kelsberg, G., & Safranek, S. (2010). Clinical inquiries. When should you treat tongue-tie in a newborn? [Review]. *The Journal of family practice*, 59(12), 712a-b.

Clinical study on speech disorders and speech therapy of ankyloglossia] (1)

Itoh, S. (1988). [Clinical study on speech disorders and speech therapy of ankyloglossia]. *Kokubyo Gakkai zasshi. The Journal of the Stomatological Society, Japan*, 55(1), 159-184.

Cloning and expression analysis of the chick ortholog of TBX22, the gene mutated in X-linked cleft palate and ankyloglossia (1)

Haenig, B., Schmidt, C., Kraus, F., Pfordt, M., & Kispert, A. (2002). Cloning and expression analysis of the chick ortholog of TBX22, the gene mutated in X-linked cleft palate and ankyloglossia. *Mechanisms of development*, 117(1-2), 321-325.

Comparison of diode laser and Er:YAG lasers in the treatment of ankyloglossia (1)

Aras, M. H., Goregen, M., Gungormus, M., & Akgul, H. M. (2010). Comparison of diode laser and Er:YAG lasers in the treatment of ankyloglossia. [Comparative Study]. *Photomedicine and laser surgery*, 28(2), 173-177. doi: 10.1089/pho.2009.2498

Complete ventral ankyloglossia in three related dogs (1)

Temizsoylu, M. D., & Avki, S. (2003). Complete ventral ankyloglossia in three related dogs. [Case Reports Research Support, Non-U.S. Gov't]. *Journal of the American Veterinary Medical Association*, 223(10), 1443-1445, 1433.

Computed tomographic study of the effect of a tongue-tie on hyoid apparatus position and nasopharyngeal dimensions in anesthetized horses (1)

Cornelisse, C. J., Rosenstein, D. S., Derksen, F. J., & Holcombe, S. J. (2001). Computed tomographic study of the effect of a tongue-tie on hyoid apparatus position and nasopharyngeal dimensions in anesthetized horses. *American journal of veterinary research*, 62(12), 1865-1869.

Congenital ankyloglossia associated with glossotopsis and palatum fissum (1)

May, H., & Chun, L. T. (1948). Congenital ankyloglossia associated with glossotopsis and palatum fissum. *Pediatrics*, 2(6), 685-687.

Congenital ankyloglossia with deviation of the epiglottis and larynx: symptoms and respiratory function in adults (1)

Mukai, S., Mukai, C., & Asaoka, K. (1993). Congenital ankyloglossia with deviation of the epiglottis and larynx: symptoms and respiratory function in adults. *The Annals of otology, rhinology, and laryngology*, 102(8 Pt 1), 620-624.

Congenital benign teratoma of the tongue with bifid tip, ankyloglossia and polydactyly: report of a case (1)

Andrade, N. N., & Raikwar, K. (2010). Congenital benign teratoma of the tongue with bifid tip, ankyloglossia and polydactyly: report of a case. [Case Reports]. *The British journal of oral & maxillofacial surgery*, 48(6), e29-30. doi: 10.1016/j.bjoms.2010.05.008

Congenital median cleft of the lower lip, bifid tongue with ankyloglossia, cleft palate, and submental epidermoid cyst: report of a case (1)

Chidzonga, M. M., & Shija, J. K. (1988). Congenital median cleft of the lower lip, bifid tongue with ankyloglossia, cleft palate, and submental epidermoid cyst: report of a case. [Case Reports]. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 46(9), 809-812.

Congenital palatal ankyloglossia as the dominant member of a complex of multiple abnormalities; on the pathogenesis of ankyloglossia superior] (1)

Cosack, G. (1953). [Congenital palatal ankyloglossia as the dominant member of a complex of multiple abnormalities; on the pathogenesis of ankyloglossia superior]. *Zeitschrift fur Kinderheilkunde*, 72(3), 240-257.

Congenital tongue-tie and its impact on breastfeeding (1)

Coryllos, E., Genna, C. W., & Salloum, A. C. (2004). *Congenital tongue-tie and its impact on breastfeeding*. Retrieved from <http://www2.aap.org/breastfeeding/files/pdf/bbm-8-27%20Newsletter.pdf>.

Contribution to the study of the frenulectomy in patients with ankyloglossia (author's transl)] (1)

Madeira, A. A. (1976). [Contribution to the study of the frenulectomy in patients with ankyloglossia (author's transl)]. *Revista catarinense de odontologia*, 3(1), 35-41.

Craniofacial expression of human and murine TBX22 correlates with the cleft palate and ankyloglossia phenotype observed in CPX patients (1)

Braybrook, C., Lisgo, S., Doudney, K., Henderson, D., Marcano, A. C., Strachan, T., . . . Lindsay, S. (2002). Craniofacial expression of human and murine TBX22 correlates with the cleft palate and ankyloglossia phenotype observed in CPX patients. [Comparative Study Research Support, Non-U.S. Gov't]. *Human molecular genetics*, 11(22), 2793-2804.

Defining ankyloglossia: a case series of anterior and posterior tongue ties (1)

Hong, P., Lago, D., Segeant, J., Pellman, L., Magit, A. E., & Pransky, S. M. (2010). Defining ankyloglossia: a case series of anterior and posterior tongue ties. *International journal of pediatric otorhinolaryngology*, 74(9), 1003-1006. doi: 10.1016/j.ijporl.2010.05.025

Diagnosis and treatment of ankyloglossia and tied maxillary fraenum in infants using Er:YAG and 1064 diode lasers (1)

Kotlow, L. (2011). Diagnosis and treatment of ankyloglossia and tied maxillary fraenum in infants using Er:YAG and 1064 diode lasers. *European archives of paediatric dentistry : official journal of the European Academy of Paediatric Dentistry*, 12(2), 106-112.

Difficult intubation in an infant with Pierre Robin syndrome and concomitant tongue tie (1)

Jones, S. E., & Derrick, G. M. (1998). Difficult intubation in an infant with Pierre Robin syndrome and concomitant tongue tie. [Case Reports]. *Paediatric anaesthesia*, 8(6), 510-511.

Division of tongue tie as an outpatient procedure. Technique, efficacy and safety (1)

Mettias, B., O'Brien, R., Abo Khatwa, M. M., Nasrallah, L., & Doddi, M. (2013). Division of tongue tie as an outpatient procedure. Technique, efficacy and safety. *International journal of pediatric otorhinolaryngology*, 77(4), 550-552. doi: 10.1016/j.ijporl.2013.01.003

Division of tongue tie: review of practice through a tertiary paediatric otorhinolaryngology service(1)

Glynn, R. W., Colreavy, M., Rowley, H., & Gendy, S. (2012). Division of tongue tie: review of practice through a tertiary paediatric otorhinolaryngology service. *International journal of pediatric otorhinolaryngology*, 76(10), 1434-1436. doi: 10.1016/j.ijporl.2012.06.017

Division of tongue tie: wicked and barbaric? (1)

Hillan, R. (2008). Division of tongue tie: wicked and barbaric? *The practising midwife*, 11(10), 22-25.

Dominant heredity of ankyloglossia] (1)

Hermans, A. G. (1953). [Dominant heredity of ankyloglossia]. *Nederlands tijdschrift voor geneeskunde*, 97(22), 1413-1414.

Dominantly hereditary ankyloglossia] (1)

Keizer, D. P. (1952). [Dominantly hereditary ankyloglossia]. *Nederlands tijdschrift voor geneeskunde*, 96(36), 2203-2205.

Early lingual frenectomy assisted by CO2 laser helps prevention and treatment of functional alterations caused by ankyloglossia (1)

Fiorotti, R. C., Bertolini, M. M., Nicola, J. H., & Nicola, E. M. (2004). Early lingual frenectomy assisted by CO2 laser helps prevention and treatment of functional alterations caused by ankyloglossia. [Evaluation Studies]

Research Support, Non-U.S. Gov't]. *The International journal of orofacial myology : official publication of the International Association of Orofacial Myology*, 30, 64-71.

Editorial: Tongue-tie (1)

Hussey, H. H. (1974). Editorial: Tongue-tie. *JAMA : the journal of the American Medical Association*, 228(6), 735.

Effect of 'tongue tie' use on racing performance of thoroughbreds in the United Kingdom (1)

Barakzai, S. Z., Finnegan, C., & Boden, L. A. (2009). Effect of 'tongue tie' use on racing performance of thoroughbreds in the United Kingdom. [Research Support, Non-U.S. Gov't]. *Equine veterinary journal*, 41(8), 812-816.

Effect of a tongue-tie on upper airway mechanics during exercise following sternothyrohyoid myectomy in clinically normal horses (1)

Beard, W. L., Holcombe, S. J., & Hinchcliff, K. W. (2001). Effect of a tongue-tie on upper airway mechanics during exercise following sternothyrohyoid myectomy in clinically normal horses. [Research Support, Non-U.S. Gov't]. *American journal of veterinary research*, 62(5), 779-782.

Effect of a tongue-tie on upper airway mechanics in horses during exercise (1)

Cornelisse, C. J., Holcombe, S. J., Derksen, F. J., Berney, C., & Jackson, C. A. (2001). Effect of a tongue-tie on upper airway mechanics in horses during exercise. *American journal of veterinary research*, 62(5), 775-778.

Efficacy of neonatal release of ankyloglossia: a randomized trial (1)

Buryk, M., Bloom, D., & Shope, T. (2011). Efficacy of neonatal release of ankyloglossia: a randomized trial. *Pediatrics*, 128(2), 280-288. doi: 10.1542/peds.2011-0077

Enhanced prevalence of ankyloglossia with maternal cocaine use (1)

Harris, E. F., Friend, G. W., & Tolley, E. A. (1992). Enhanced prevalence of ankyloglossia with maternal cocaine use. *The Cleft palate-craniofacial journal : official publication of the American Cleft Palate-Craniofacial Association*, 29(1), 72-76. doi: 10.1597/1545-1569(1992)029<0072:EPOAWM>2.3.CO;2

Evaluation of speech intelligibility in children with tongue-tie (1)

Dollberg, S., Manor, Y., Makai, E., & Botzer, E. (2011). Evaluation of speech intelligibility in children with tongue-tie. *Acta paediatrica*, 100(9), e125-127. doi: 10.1111/j.1651-2227.2011.02265.x

Examining for tongue tie (1)

Young, E. C., & Sacks, G. K. (1979). Examining for tongue tie. *Clinical pediatrics*, 18(5), 298.

Experimental studies on ankyloglossia] (1)

Masignani, M. (1968). [Experimental studies on ankyloglossia]. *Rivista italiana di stomatologia*, 23(11), 1699-1712.

Familial ankyloglossia (tongue-tie) (1)

Klockars, T. (2007). Familial ankyloglossia (tongue-tie). [Case Reports Research Support, Non-U.S. Gov't]. *International journal of pediatric otorhinolaryngology*, 71(8), 1321-1324. doi: 10.1016/j.ijporl.2007.05.018

Familial ankyloglossia (tongue-tie): a case report (1)

Morowati, S., Yasini, M., Ranjbar, R., Peivandi, A. A., & Ghadami, M. (2010). Familial ankyloglossia (tongue-tie): a case report. [Case Reports]. *Acta medica Iranica*, 48(2), 123-124.

Families burdened by the cost of tongue-tie division (1)

Johnston, J. J., & Shetty, S. (2013). Families burdened by the cost of tongue-tie division. [Letter]. *N Z Med J*, 126(1371), 100-103.

Five things to know about...ankyloglossia (tongue-tie) (1)

Hong, P. (2013). Five things to know about...ankyloglossia (tongue-tie). [Review]. *CMAJ : Canadian Medical Association journal = journal de l'Association medicale canadienne*, 185(2), E128. doi: 10.1503/cmaj.120785

Frenotomy in children with ankyloglossia and breast-feeding problems. A simple method seems to render good results] (1)

Oredsson, J., & Torngren, A. (2010). [Frenotomy in children with ankyloglossia and breast-feeding problems. A simple method seems to render good results]. *Lakartidningen*, 107(10), 676-678.

Frenulectomy for ankyloglossia] (1)

Lazzati, M., Castoldi, A., Carloni, L., & Raso, M. (1989). [Frenulectomy for ankyloglossia]. *Attualita dentale*, 5(4), 21-22, 27-29.

Frenulotomy for breastfeeding infants with ankyloglossia: effect on milk removal and sucking mechanism as imaged by ultrasound (1)

Geddes, D. T., Langton, D. B., Gollow, I., Jacobs, L. A., Hartmann, P. E., & Simmer, K. (2008). Frenulotomy for breastfeeding infants with ankyloglossia: effect on milk removal and sucking mechanism as imaged by ultrasound. *Pediatrics*, 122(1), e188-194. doi: 10.1542/peds.2007-2553

GAPO syndrome with the novel features of pulmonary hypertension, ankyloglossia, and prognathism (1)

Demirgunes, E. F., Ersoy-Evans, S., & Karaduman, A. (2009). GAPO syndrome with the novel features of pulmonary hypertension, ankyloglossia, and prognathism. [Case Reports]. *American journal of medical genetics. Part A*, 149A(4), 802-805. doi: 10.1002/ajmg.a.32686

General Information about Frenulum Procedures for the Infant (1)

Cole, M., & Ghaheri, B. (2012). General Information about Frenulum Procedures for the Infant (pp. 2).

Identification and characterization of KLHL4, a novel human homologue of the Drosophila Kelch gene that maps within the X-linked cleft palate and Ankyloglossia (CPX) critical region (1)

Braybrook, C., Warry, G., Howell, G., Arnason, A., Bjornsson, A., Moore, G. E., . . . Stanier, P. (2001). Identification and characterization of KLHL4, a novel human homologue of the Drosophila Kelch gene that maps within the X-linked cleft palate and Ankyloglossia (CPX) critical region. [Research Support, Non-U.S. Gov't]. *Genomics*, 72(2), 128-136. doi: 10.1006/geno.2000.6478

Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: a randomized, prospective study (1)

Dollberg, S., Botzer, E., Grunis, E., & Mimouni, F. B. (2006). Immediate nipple pain relief after frenotomy in breast-fed infants with ankyloglossia: a randomized, prospective study. [Randomized Controlled Trial]. *Journal of pediatric surgery*, 41(9), 1598-1600. doi: 10.1016/j.jpedsurg.2006.05.024

Improved ankyloglossia correction with four-flap Z-frenuloplasty (1)

Heller, J., Gabbay, J., O'Hara, C., Heller, M., & Bradley, J. P. (2005). Improved ankyloglossia correction with four-flap Z-frenuloplasty. *Annals of plastic surgery*, 54(6), 623-628.

Improving breastfeeding outcomes: the impact of tongue-tie (1)

Jackson, R. (2012). Improving breastfeeding outcomes: the impact of tongue-tie. [Research Support, Non-U.S. Gov't]. *Community practitioner : the journal of the Community Practitioners' & Health Visitors' Association*, 85(6), 42-44.

Incidence of scrotal tongue, median rhomboid glossitis, ankyloglossia and macroglossia in 600 orthodontic patients] (1)

Mortellaro, C., Picciolo, G., & Cucinotta, C. (1990). [Incidence of scrotal tongue, median rhomboid glossitis, ankyloglossia and macroglossia in 600 orthodontic patients]. *Minerva ortognatodontica*, 8(4), 259-262.

Inheritance of ankyloglossia (tongue-tie) (1)

Klockars, T., & Pitkaranta, A. (2009). Inheritance of ankyloglossia (tongue-tie). [Letter Research Support, Non-U.S. Gov't]. *Clinical genetics*, 75(1), 98-99. doi: 10.1111/j.1399-0004.2008.01096.x

Kudos for issue on ankyloglossia (1)

Kudos for issue on ankyloglossia. (1991). [Case Reports Letter]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 7(1), 3-4.

Linkage analysis of X-linked cleft palate and ankyloglossia in Manitoba Mennonite and British Columbia Native kindreds (1)

Gorski, S. M., Adams, K. J., Birch, P. H., Chodirker, B. N., Greenberg, C. R., & Goodfellow, P. J. (1994). Linkage analysis of X-linked cleft palate and ankyloglossia in Manitoba Mennonite and British Columbia Native kindreds. [Research Support, Non-U.S. Gov't]. *Human genetics*, 94(2), 141-148.

Localization of a mutant gene for cleft palate and ankyloglossia in an X-linked Icelandic family (1)

Moore, G. E., Williamson, R., Jensson, O., Chambers, J., Takakubo, F., Newton, R., . . . Ivens, A. (1991). Localization of a mutant gene for cleft palate and ankyloglossia in an X-linked Icelandic family. [Research Support, Non-U.S. Gov't]. *Journal of craniofacial genetics and developmental biology*, 17(4), 372-376.

Macroglossia and ankyloglossia in Beckwith-Wiedemann syndrome (1)

Patterson, G. T., Ramasastry, S. S., & Davis, J. U. (1988). Macroglossia and ankyloglossia in Beckwith-Wiedemann syndrome. [Case Reports]. *Oral surgery, oral medicine, and oral pathology*, 65(1), 29-31.

Management of tongue-tie in children: a survey of paediatric surgeons in Australia (1)

Brinkmann, S., Reilly, S., & Meara, J. G. (2004). Management of tongue-tie in children: a survey of paediatric surgeons in Australia. [Research Support, Non-U.S. Gov't]. *Journal of paediatrics and child health*, 40(11), 600-605. doi: 10.1111/j.1440-1754.2004.00483.x

Midline cleft of the mandible, lower lip and ankyloglossia. (A case report) (1)

Dhooria, H. S., & Padmabhan, L. S. (1982). Midline cleft of the mandible, lower lip and ankyloglossia. (A case report). [Case Reports]. *Journal of the Indian Dental Association*, 54(8), 289-290.

Monopolar diathermy used for correction of ankyloglossia (1)

Tuli, A., & Singh, A. (2010). Monopolar diathermy used for correction of ankyloglossia. [Case Reports]. *Journal of the Indian Society of Pedodontics and Preventive Dentistry*, 28(2), 130-133. doi: 10.4103/0970-4388.66757

Much ado about nothing: two millenia of controversy on tongue-tie (1)

Obladen, M. (2010). Much ado about nothing: two millenia of controversy on tongue-tie. [Historical Article]. *Neonatology*, 97(2), 83-89. doi: 10.1159/000235682

Neonatal lethality of LGR5 null mice is associated with ankyloglossia and gastrointestinal distension (1)

Morita, H., Mazerbourg, S., Bouley, D. M., Luo, C. W., Kawamura, K., Kuwabara, Y., . . . Hsueh, A. J. (2004). Neonatal lethality of LGR5 null mice is associated with ankyloglossia and gastrointestinal distension. [Research Support, U.S. Gov't, P.H.S.]. *Molecular and cellular biology*, 24(22), 9736-9743. doi: 10.1128/MCB.24.22.9736-9743.2004

Neonatal tongue-tie: myths and science] (1)

Dollberg, S., & Botzer, E. (2011). [Neonatal tongue-tie: myths and science]. *Harefuah*, 150(1), 46-49, 67.

Newborn tongue-tie and breast-feeding (1)

Hazelbaker, A. K. (2005). Newborn tongue-tie and breast-feeding. [Comment Letter]. *The Journal of the American Board of Family Practice / American Board of Family Practice*, 18(4), 326; author reply 326-327.

Newborn tongue-tie: prevalence and effect on breast-feeding (1)

Ricke, L. A., Baker, N. J., Madlon-Kay, D. J., & DeFor, T. A. (2005). Newborn tongue-tie: prevalence and effect on breast-feeding. [Research Support, Non-U.S. Gov't]. *The Journal of the American Board of Family Practice / American Board of Family Practice*, 18(1), 1-7.

Nipple pain at presentation predicts success of tongue-tie division for breastfeeding problems (1)

Khoo, A. K., Dabbas, N., Sudhakaran, N., Ade-Ajaii, N., & Patel, S. (2009). Nipple pain at presentation predicts success of tongue-tie division for breastfeeding problems. *European journal of pediatric surgery : official journal of Austrian Association of Pediatric Surgery ... [et al] = Zeitschrift fur Kinderchirurgie*, 19(6), 370-373. doi: 10.1055/s-0029-1234041

Novel local anaesthetic analgesic technique for tongue-tie (1)

Froom, S. R., & Stewart, J. (2007). Novel local anaesthetic analgesic technique for tongue-tie. [Letter]. *Anaesthesia*, 62(1), 97. doi: 10.1111/j.1365-2044.2006.04926.x

Office treatment of congenital ankyloglossia (1)

Naimer, S. A., Biton, A., Vardy, D., & Zvulunov, A. (2003). Office treatment of congenital ankyloglossia. *Medical science monitor : international medical journal of experimental and clinical research*, 9(10), CR432-435.

On several cases of "lingua fraenata" or ankyloglossia] (1)

Maffioli, G. (1968). [On several cases of "lingua fraenata" or ankyloglossia]. *Rassegna trimestrale di odontoiatria*, 49(4), 403-411.

Outpatient division of tongue-tie without anesthesia in infants and children (1)

Yeh, M. L. (2008). Outpatient division of tongue-tie without anesthesia in infants and children. *World journal of pediatrics : WJP*, 4(2), 106-108. doi: 10.1007/s12519-008-0020-z

Partial ankyloglossia. Report of a case (1)

Spitzer, R. (1960). Partial ankyloglossia. Report of a case. *Oral surgery, oral medicine, and oral pathology*, 13, 787-790.

Pediatric tongue-tie division: indications, techniques and patient satisfaction (1)

Klockars, T., & Pitkaranta, A. (2009). Pediatric tongue-tie division: indications, techniques and patient satisfaction. [Comparative Study Research Support, Non-U.S. Gov't]. *International journal of pediatric otorhinolaryngology*, 73(10), 1399-1401. doi: 10.1016/j.ijporl.2009.07.004

Physical and transcriptional mapping of the X-linked cleft palate and ankyloglossia (CPX) critical region (1)

Braybrook, C., Warry, G., Howell, G., Mandryko, V., Arnason, A., Bjornsson, A., . . . Stanier, P. (2001). Physical and transcriptional mapping of the X-linked cleft palate and ankyloglossia (CPX) critical region. [Research Support, Non-U.S. Gov't]. *Human genetics*, 108(6), 537-545.

Posterior ankyloglossia: a case report (1)

Chu, M. W., & Bloom, D. C. (2009). Posterior ankyloglossia: a case report. [Case Reports]. *International journal of pediatric otorhinolaryngology*, 73(6), 881-883. doi: 10.1016/j.ijporl.2009.02.011

Prejudice against test weighing, like tongue-tie division, should be re-assessed (1)

Wilson-Clay, B. (2006). Prejudice against test weighing, like tongue-tie division, should be re-assessed. [Comment Letter]. *Archives of disease in childhood*, 91(12), 1042.

Prevalence and consequences of a forgotten entity: ankyloglossia (1)

Cinar, F., & Onat, N. (2005). Prevalence and consequences of a forgotten entity: ankyloglossia. [Letter]. *Plastic and reconstructive surgery*, 115(1), 355-356.

Prevalence, diagnosis, and treatment of ankyloglossia: methodologic review (1)

Segal, L. M., Stephenson, R., Dawes, M., & Feldman, P. (2007). Prevalence, diagnosis, and treatment of ankyloglossia: methodologic review. [Research Support, Non-U.S. Gov't Review]. *Canadian family physician Medecin de famille canadien*, 53(6), 1027-1033.

Question 2. Should an infant who is breastfeeding poorly and has a tongue tie undergo a tongue tie division? (1)

Algar, V. (2009). Question 2. Should an infant who is breastfeeding poorly and has a tongue tie undergo a tongue tie division? [Review]. *Archives of disease in childhood*, 94(11), 911-912. doi: 10.1136/adc.2009.163428

Randomized, controlled trial of division of tongue-tie in infants with feeding problems (1)

Hogan, M., Westcott, C., & Griffiths, M. (2005). Randomized, controlled trial of division of tongue-tie in infants with feeding problems. [Clinical Trial Comparative Study Randomized Controlled Trial]. *Journal of paediatrics and child health*, 41(5-6), 246-250. doi: 10.1111/j.1440-1754.2005.00604.x

Refined mapping and YAC contig construction of the X-linked cleft palate and ankyloglossia locus (CPX) including the proximal X-Y homology breakpoint within Xq21.3 (1)

Forbes, S. A., Brennan, L., Richardson, M., Coffey, A., Cole, C. G., Gregory, S. G., . . . Stanier, P. (1996). Refined mapping and YAC contig construction of the X-linked cleft palate and ankyloglossia locus (CPX) including the proximal X-Y homology breakpoint within Xq21.3. [Research Support, Non-U.S. Gov't Research Support, U.S. Gov't, P.H.S.]. *Genomics*, 31(1), 36-43. doi: 10.1006/geno.1996.0006

Refinement of the X-linked cleft palate and ankyloglossia (CPX) localisation by genetic mapping in an Icelandic kindred (1)

Forbes, S. A., Richardson, M., Brennan, L., Arnason, A., Bjornsson, A., Campbell, L., . . . Stanier, P. (1995). Refinement of the X-linked cleft palate and ankyloglossia (CPX) localisation by genetic mapping in an Icelandic kindred. [Research Support, Non-U.S. Gov't]. *Human genetics*, 95(3), 342-346.

Relationship between the lingual frenulum and craniofacial morphology in adults (1)

Jang, S.-J., Cha, B.-K., Ngan, P., Choi, D.-S., Lee, S.-K., & Jang, I. (2011). Relationship between the lingual frenulum and craniofacial morphology in adults. *American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 139(4), e361-e367.

Review of tongue-tie release at a tertiary maternity hospital (1)

Amir, L. H., James, J. P., & Beatty, J. (2005). Review of tongue-tie release at a tertiary maternity hospital. *Journal of paediatrics and child health*, 41(5-6), 243-245. doi: 10.1111/j.1440-1754.2005.00603.x

Riga-Fede disease: trauma due to teeth or tongue tie? (1)

Narang, T., De, D., & Kanwar, A. J. (2008). Riga-Fede disease: trauma due to teeth or tongue tie? [Case Reports Letter]. *Journal of the European Academy of Dermatology and Venereology : JEADV*, 22(3), 395-396. doi: 10.1111/j.1468-3083.2007.02347.x

Right molar approach to tracheal intubation in a child with Pierre Robin syndrome, cleft palate, and tongue tie (1)

Saxena, K. N., Nischal, H., Bhardwaj, M., Gaba, P., & Shastry, B. V. (2008). Right molar approach to tracheal intubation in a child with Pierre Robin syndrome, cleft palate, and tongue tie. [Case Reports Letter]. *British journal of anaesthesia*, 100(1), 141-142. doi: 10.1093/bja/aem359

Roundtable discussion: tongue-tie (1)

Edmunds, J., Hazelbaker, A., Murphy, J. G., & Philipp, B. L. (2012). Roundtable discussion: tongue-tie. *Journal of human lactation : official journal of International Lactation Consultant Association*, 26(1), 14-17. doi: 10.1177/0890334411428588

Speech pathology research on ankyloglossia] (1)

Nagai, I., Fukaya, M., Tsuge, S., Satoh, H., Watanabe, K., Terashima, Y., . . . Hattori, M. (1977). [Speech pathology research on ankyloglossia]. *Aichi Gakuin Daigaku Shigakkai shi*, 14(4), 381-385.

Statistical and clinical studies on ankyloglossia] (1)

Nishi, M. (1969). [Statistical and clinical studies on ankyloglossia]. *Igaku kenkyu. Acta medica*, 39(1), 35-57.

Sucking characteristics of successfully breastfeeding infants with ankyloglossia: a case series (1)

Geddes, D. T., Kent, J. C., McClellan, H. L., Garbin, C. P., Chadwick, L. M., & Hartmann, P. E. (2010). Sucking characteristics of successfully breastfeeding infants with ankyloglossia: a case series. [Case Reports Research Support, Non-U.S. Gov't]. *Acta paediatrica*, 99(2), 301-303. doi: 10.1111/j.1651-2227.2009.01577.x

Superior ankyloglossia] (1)

Soleto Martin, J., Alonso Banuelos, C., & Martin Sanz, L. (1983). [Superior ankyloglossia]. [Case Reports]. *Anales espanoles de pediatria*, 18(4), 301-305.

Surgical correction of ankyloglossia (1)

Rogers, J. G., & Douglas, B. L. (1952). Surgical correction of ankyloglossia. *United States Armed Forces medical journal*, 3(5), 695-697.

Surgical treatment of ankyloglossia in babies--case report (1)

Manfro, A. R., Manfro, R., & Bortoluzzi, M. C. (2010). Surgical treatment of ankyloglossia in babies--case report. [Case Reports]. *International journal of oral and maxillofacial surgery*, 39(11), 1130-1132. doi: 10.1016/j.ijom.2010.06.007

TBX22 and Tongue-Tie (1)

Klockars, T., Kyttanen, S., & Ellonen, P. (2012). TBX22 and Tongue-Tie. *The Cleft palate-craniofacial journal : official publication of the American Cleft Palate-Craniofacial Association*, 49(3), 378-379. doi: 10.1597/11-114

The basics of tongue and lip tie: related issues, assessment and treatment (1)

Cole, M., & Ghaheri, B. (2012, 11/19/12). The basics of tongue and lip tie: related issues, assessment and treatment, from <http://theleakyboob.com/2012/11/the-basics-of-tongue-and-lip-tie-related-issues-assessment-and-treatment/#comment-48837>

The effect of a tongue-tie in horses with dorsal displacement of the soft palate (1)

Franklin, S. H., Naylor, J. R., & Lane, J. G. (2002). The effect of a tongue-tie in horses with dorsal displacement of the soft palate. *Equine veterinary journal. Supplement*(34), 430-433.

The effect of ankyloglossia on speech in children (1)

Messner, A. H., & Lalakea, M. L. (2002). The effect of ankyloglossia on speech in children. [Comparative Study]. *Otolaryngology--head and neck surgery : official journal of American Academy of Otolaryngology-Head and Neck Surgery*, 127(6), 539-545. doi: 10.1067/mhn.2002.1298231

The effect of tongue-tie division on breastfeeding and speech articulation: a systematic review (1)

Webb, A. N., Hao, W., & Hong, P. (2013). The effect of tongue-tie division on breastfeeding and speech articulation: a systematic review. *International journal of pediatric otorhinolaryngology*, 77(5), 635-646. doi: 10.1016/j.ijporl.2013.03.008

The importance of the identification of ankyloglossia (short lingual frenulum) as a cause of breastfeeding problems (1)

Notestine, G. E. (1990). The importance of the identification of ankyloglossia (short lingual frenulum) as a cause of breastfeeding problems. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 113-115.

The influence of the maxillary frenum on the development and pattern of dental caries on anterior teeth in breastfeeding infants: prevention, diagnosis, and treatment (1)

Kotlow, L. A. (2010). The influence of the maxillary frenum on the development and pattern of dental caries on anterior teeth in breastfeeding infants: prevention, diagnosis, and treatment. *Journal of human lactation : official journal of International Lactation Consultant Association*, 26(3), 304-308. doi: 10.1177/0890334410362520

The localization of a gene causing X-linked cleft palate and ankyloglossia (CPX) in an Icelandic kindred is between DDXS326 and DXYS1X (1)

Stanier, P., Forbes, S. A., Arnason, A., Bjornsson, A., Sveinbjornsdottir, E., Williamson, R., & Moore, G. (1993). The localization of a gene causing X-linked cleft palate and ankyloglossia (CPX) in an Icelandic kindred is between DDXS326 and DXYS1X. [Research Support, Non-U.S. Gov't]. *Genomics*, 17(3), 549-555. doi: 10.1006/geno.1993.1370

The role of the speech clinician in determining indications for frenulotomy in cases of ankyloglossia (1)

Block, J. R. (1968). The role of the speech clinician in determining indications for frenulotomy in cases of ankyloglossia. *The New York state dental journal*, 34(8), 479-481.

The sequelae in a case of sublingual dermoid cyst with ankyloglossia (1)

Hitchin, A. D., & Smith, G. A. (1970). The sequelae in a case of sublingual dermoid cyst with ankyloglossia. *The British journal of oral surgery*, 8(2), 175-178.

The syndrome of ankyloglossia superior (1)

Marden, P. M. (1966). The syndrome of ankyloglossia superior. [Case Reports]. *Minnesota medicine*, 49(8), 1223-1225.

The T-box transcription factor gene TBX22 is mutated in X-linked cleft palate and ankyloglossia (1)

Braybrook, C., Doudney, K., Marcano, A. C., Arnason, A., Bjornsson, A., Patton, M. A., . . . Stanier, P. (2001). The T-box transcription factor gene TBX22 is mutated in X-linked cleft palate and ankyloglossia. [Research Support, Non-U.S. Gov't]. *Nature genetics*, 29(2), 179-183. doi: 10.1038/ng730

The Tongue Tie (1)

Boo-Chai, K. (1963). The Tongue Tie. *Singapore medical journal*, 3, 84-85.

The Tongue-Tie Controversy (1)

Wallace, A. F. (1964). The Tongue-Tie Controversy. *Nursing times*, 60, 527-528.

The transverse-vertical frenuloplasty for ankyloglossia (1)

Velanovich, V. (1994). The transverse-vertical frenuloplasty for ankyloglossia. *Military medicine*, 159(11), 714-715.

Tongue mobility in ankyloglossia with regard to articulation] (1)

Ostapiuk, B. (2006). [Tongue mobility in ankyloglossia with regard to articulation]. [Review]. *Annales Academiae Medicae Stetinensis*, 52 Suppl 3, 37-47.

Tongue tie (4)

- Tongue tie. (1991). [Comment]. *The Medical journal of Australia*, 155(10), 724.
- Hall, D. M., & Renfrew, M. J. (2005). Tongue tie. [Review]. *Archives of disease in childhood*, 90(12), 1211-1215. doi: 10.1136/adc.2005.077065
- Kern, I. (1991). Tongue tie. [Review]. *The Medical journal of Australia*, 155(1), 33-34.
- Wallace, A. F. (1963). Tongue Tie. *Lancet*, 2(7304), 377-378.

Tongue tie and breastfeeding: assessing and overcoming the difficulties (1)

- Breward, S. (2006). Tongue tie and breastfeeding: assessing and overcoming the difficulties. [Review]. *Community practitioner : the journal of the Community Practitioners' & Health Visitors' Association*, 79(9), 298-299.

Tongue tie and speech disorders] (1)

- Yoel, J. (1976). [Tongue tie and speech disorders]. [Case Reports Clinical Trial]. *La Tribuna odontologica*, 60(7-9), 195-196, 198, 200 passim.

Tongue tie as a cause of deformity of lower central incisor (1)

- Hasan, N. (1973). Tongue tie as a cause of deformity of lower central incisor. *Journal of pediatric surgery*, 8(6), 985.

Tongue tie division in infants with breast feeding difficulties (1)

- Wallace, H., & Clarke, S. (2006). Tongue tie division in infants with breast feeding difficulties. *International journal of pediatric otorhinolaryngology*, 70(7), 1257-1261. doi: 10.1016/j.ijporl.2006.01.004

Tongue tie speech (1)

- Plummer, R. N. (1956). Tongue tie speech. *Arizona medicine*, 13(4), 139.

Tongue Tie: From Confusion to Clarity (1)

- Fernando, C. (1998). *Tongue Tie: From Confusion to Clarity*. Sydney, Australia: Tandem Publications.

Tongue-tie (5)

- Catlin, F. I. (1971). Tongue-tie. [Review]. *Archives of otolaryngology*, 94(6), 548-557.
- Edmunds, J., Hazelbaker, A., Murphy, J. G., & Philipp, B. L. (2012). Tongue-tie. [Clinical Conference]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 28(1), 14-17. doi: 10.1177/0890334411428588
- Horton, C. E., Crawford, H. H., Adamson, J. E., & Ashbell, T. S. (1969). Tongue-tie. *The Cleft palate journal*, 6, 8-23.
- McBride, C. (2005). Tongue-tie. [Comment Editorial]. *Journal of paediatrics and child health*, 41(5-6), 242. doi: 10.1111/j.1440-1754.2005.00681.x
- Wright, J. E. (1995). Tongue-tie. [Review]. *Journal of paediatrics and child health*, 31(4), 276-278.

Tongue-tie (ankyloglossia) and breastfeeding: a review (1)

- Berg, K. L. (1990). Tongue-tie (ankyloglossia) and breastfeeding: a review. [Review]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 109-112.

Tongue-tie (ankyloglossia) associated with breastfeeding problems (1)

Nicholson, W. L. (1991). Tongue-tie (ankyloglossia) associated with breastfeeding problems. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 7(2), 82-84.

Tongue-tie and breastfeeding: a review of the literature (1)

Edmunds, J., Miles, S. C., & Fulbrook, P. (2011). Tongue-tie and breastfeeding: a review of the literature. [Review]. *Breastfeeding review : professional publication of the Nursing Mothers' Association of Australia*, 19(1), 19-26.

Tongue-tie and infant feeding (1)

Dunn, P. M. (2006). Tongue-tie and infant feeding. [Comment Letter]. *Archives of disease in childhood*, 91(12), 1042.

Tongue-tie that office gossip (1)

Rosenhouse, L. (1976). Tongue-tie that office gossip. *Tic*, 35(6), 10.

Tongue-tie, breastfeeding difficulties and the role of Frenotomy (1)

Kumar, M., & Kalke, E. (2012). Tongue-tie, breastfeeding difficulties and the role of Frenotomy. *Acta paediatrica*, 101(7), 687-689. doi: 10.1111/j.1651-2227.2012.02661.x

Tongue-tie: an update (1)

Agarwal, P., & Raina, V. K. (2003). Tongue-tie: an update. [Review]. *Indian pediatrics*, 40(5), 404-405.

Tongue-tie: its impact on breastfeeding (1)

Jain, E. (1995). Tongue-tie: its impact on breastfeeding. *AAPN news letter*, 51(5), 18.

Tongue-Tie: Morphogenesis, Impact, Assessment and Treatment (1)

Hazelbaker, A. K. (2010). *Tongue-Tie: Morphogenesis, Impact, Assessment and Treatment*: Aidan and Eva Press.

Tongue-tie: myths and truths (1)

Sarin, Y. K., Zaffar, M., & Sharma, A. K. (1992). Tongue-tie: myths and truths. [Letter]. *Indian pediatrics*, 29(12), 1585-1586.

Treatment of an adolescent with total ankyloglossia (1)

Hamamci, N., Ozer, T., Hamamci, O., Tumen, E. C., & Agackiran, E. (2010). Treatment of an adolescent with total ankyloglossia. *World journal of orthodontics*, 11(3), 278-283.

Treatment of ankyloglossia: report of case (1)

Ayers, F. J., & Hilton, L. M. (1977). Treatment of ankyloglossia: report of case. [Case Reports]. *ASDC journal of dentistry for children*, 44(3), 237-239.

Treatment of median cleft of the lower lip, mandible, and bifid tongue with ankyloglossia. A case report (1)

Chidzonga, M. M., Lopez Perez, V. M., & Mzezewa, S. (1996). Treatment of median cleft of the lower lip, mandible, and bifid tongue with ankyloglossia. A case report. [Case Reports]. *International journal of oral and maxillofacial surgery*, 25(4), 272-273.

Two cases of tongue-tie and breastfeeding (1)

Berg, K. L. (1990). Two cases of tongue-tie and breastfeeding. [Case Reports]. *Journal of human lactation : official journal of International Lactation Consultant Association*, 6(3), 124-126.

Understanding the experiences of mothers who are breastfeeding an infant with tongue-tie: a phenomenological study (1)

Edmunds, J. E., Fulbrook, P., & Miles, S. (2013). Understanding the experiences of mothers who are breastfeeding an infant with tongue-tie: a phenomenological study. *Journal of human lactation : official journal of International Lactation Consultant Association*, 29(2), 190-195. doi: 10.1177/0890334413479174

Use of Z plasty for ankyloglossia: report of 38 cases] (1)

Li, H. M., Kang, B., Lin, J. B., Huang, J. Y., & Lin, L. E. (2005). [Use of Z plasty for ankyloglossia: report of 38 cases]. *Shanghai kou qiang yi xue = Shanghai journal of stomatology*, 14(2), 203-204.

X-linked cleft palate and ankyloglossia in an Icelandic family (1)

Bjornsson, A., Arnason, A., & Tippet, P. (1989). X-linked cleft palate and ankyloglossia in an Icelandic family. *The Cleft palate journal*, 26(1), 3-8.